

## **HSM SECURIO B35**

HSM GmbH + Co. KG Austrasse 1 - 9 88699 Frickingen www.hsm.eu Tel. +49 (0) 75 54 / 2100-0 Fax +49 (0) 75 54 / 2100-160 info@hsm.eu www.securio.com www.v-press.com



## **HSM SECURIO B35**

This document shredder on castors ensures data security in the workplace. Its induction-hardened solid steel cutting rollers are impervious to staples and paper clips and guarantee long service life. The powerful motor guarantees a high cutting capacity as well as reliable operation even under continuous load. Optimum design of cutting and drive components as well as the closed gear mechanism ensure low noise. The multifunctional operation button enables intuitive use of the machine. An integrated light barrier starts the device automatically and switches it off again after the paper feed ends. The automatic reverse rectifies paper jams and ensures smooth operation. High user safety is guaranteed by the folding safety element, which prevents unintentional intake. The level of the waste container is always visible through the inspection window, making timely emptying possible. The removable reusable collecting bag helps make it easy to dispose of shredded materials. In standby mode, the energy management and control system EMCS ensures low power consumption. The high-quality materials and proven quality "Made in Germany" guarantee you security and long service life.

Product type description	SECURIO B35 3,9mm	SECURIO B35 4,5x30mm
Order number	1920111	1923111
EAN Code	4026631044202	4026631044226
Shredder material	1 0 - 2 0	14 🖉 📲 💿
Cutting type	strip cut	particle cut
Security level new (DIN 66399)	P-2 / O-2 / T-2 / E-2	P-4 / O-3 / T-4 / E-3 / F-1
Security level old (DIN 32757-1)	2	3
Cutting width	3.9 mm	4.5 mm
Particle length		30,00 mm
Cutting capacity (70g/m <sup>2</sup> )	30-32 sheet	24-26 sheet
Cutting capacity (80g/m <sup>2</sup> )	26-28 sheet	21-22 sheet
Intake width	400 mm	400 mm
Container volume	130 I	130
Cutting speed	88 mm/s	80 mm/s
Noise level (idle operation)	56 dB	56 dB
eclass 5.1	24320704	24320704
UN/SPSC	44101603	
Power consumption of the motor	590 W	590 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Warranty period (months)	24	24
Depth	525 mm	525 mm
Width	618 mm	618 mm
Height	870 mm	870 mm
Weight	48.3 kg	54.4 kg



## **HSM SECURIO B35**

Product type description	SECURIO B35 1,9x15mm
Order number	1922111
EAN Code	4026631044233
Shredder material	
Cutting type	particle cut
Security level new (DIN 66399)	P-5 / T-5 / E-4 / F-2
Security level old (DIN 32757-1)	4
Cutting width	1.9 mm
Particle length	15,00 mm
Cutting capacity (70g/m <sup>2</sup> )	16-18 sheet
Cutting capacity (80g/m <sup>2</sup> )	14-15 sheet
Intake width	400 mm
Container volume	130
Cutting speed	80 mm/s
Noise level (idle operation)	56 dB
eclass 5.1	24320704
UN/SPSC	44101603
Power consumption of the motor	590 W
Voltage	230 V
Frequency	50 Hz
Warranty period (months)	24
Depth	525 mm
Width	618 mm
Height	870 mm
Weight	53.2 kg

